

Harald Ganzinger  
Uwe Waldmann

April 11, 2002

Tutorials for „Logic in Computer Science“  
Exercise sheet 1

**Exercise 1.1:**

Let  $\Sigma = (\Omega, \Pi)$  be a signature, where  $\Omega = \{f/2, g/1, a/0, b/0\}$  and  $\Pi = \{p/1\}$ ; let  $X$  be the set of variables  $\{x, y, z\}$ . Which of the following expressions are terms over  $\Sigma$  and  $X$ , which are atoms/literals/clauses/formulae, which are neither?

- (a)  $\neg p(f(x, y))$
- (b)  $f(x, x) \approx x$
- (c)  $g(f(a, b))$
- (d)  $p(g(x)) \vee p(x)$
- (e)  $p(\neg g(x))$
- (f)  $p(a) \wedge p(b) \wedge y$
- (g)  $\exists y(\neg p(f(y, y)))$
- (h)  $\forall x(g(p(x)) \approx g(x))$

**Exercise 1.2:**

Formalize the following statements in the signature  $\Sigma_{PA}$  of Peano arithmetic:

- (a) 3 is not divisible by 2.
- (b) All numbers between 1 and 3 are even.
- (c) There exists exactly one number between 1 and 3.
- (d) There does not exist a largest square number.

**Exercise 1.3:**

Compute the results of the following substitutions:

- (a)  $f(g(x), x)[g(a)/x]$
- (b)  $p(f(y, x))[x/y]$
- (c)  $\forall y(p(f(y, x)))[x/y]$
- (d)  $\forall y(p(f(y, x)))[y/x]$
- (e)  $\forall y(p(f(z, g(y))) \vee \exists z(g(z) \approx y))[g(b)/z]$
- (f)  $\exists y(f(x, y) \approx x \rightarrow \forall x(f(x, y) \approx x))[g(y)/y, g(z)/x]$

**Exercise 1.4:**

Prove or refute the following statement:

If  $t, s, s'$  are terms and  $x$  and  $y$  are distinct variables, then  $(t[s/x])[s'/y] = t[s/x, s'/y]$ .

**Exercise 1.5:**

At <http://www.mpi-sb.mpg.de/~uwe/lehre/logic/programs/> you can find the following two files:

`p11_syntax.ml`: contains the definition of an SML datatype `term` for terms over arbitrary signatures.

`exercise1.ml`: contains the definition of a function `termvars` that computes the list of all variables occurring in an argument of the type `term`.

Extend `p11_syntax.ml` with the definition of SML datatypes `atom` for atoms and `wff` for formulae; extend `exercise1.ml` with the definition of functions `atomvars` and `formulavars` that compute the list of all variables occurring in an atom or in a formula, respectively.

Put your solution into the mail box at the door of room 627 in the MPI building (46.1) before April 18, 11:00. Don't forget to write your name and the name of your tutorial group (B, C, D) on your solution.