

# Universität des Saarlandes FR Informatik



Harald Ganzinger Uwe Waldmann April 18, 2002

## Tutorials for "Logic in Computer Science" Exercise sheet 2

#### Exercise 2.1:

Prove or refute the following statements:

- (a) If F is a first-order formula, then F is valid if and only if  $F \to \bot$  is unsatisfiable.
- (b) If F is a first-order formula and x a variable, then F is unsatisfiable if and only if  $\exists xF$  is unsatisfiable.
- (c) If F and G are first-order formulas, F is valid, and  $F \to G$  is valid, then G is valid.
- (d) If F and G are first-order formulas, F is satisfiable, and  $F \to G$  is satisfiable, then G is satisfiable.
- (e) If F and G are first-order formulas and  $F \models G$ , then  $F \models \neg G$  does not hold.
- (f) If F and G are first-order formulas and  $F \models G$ , then  $\neg F \models G$  does not hold.
- (g) If F, G, and H are first-order formulas and  $F \wedge G \models H$ , then  $F \models H$ .
- (h) If F, G, and H are first-order formulas and  $F \vee G \models H$ , then  $F \models H$ .

#### Exercise 2.2:

Find a first-order formula F such that

- (a) F is satisfiable and all models of F have exactly two elements.
- (b) F is satisfiable and all models of F are infinite. (Hint: consider the definition of an ordering.)

#### Exercise 2.3:

Show that the prenex form of a first-order formula that is computed by the rewrite relation  $\Rightarrow_P$  may contain more quantifiers than the formula itself.

### Exercise 2.4:

Implement the following functions in ML:

- (a) closed: wff -> bool tests whether a formula is closed (i.e., whether all occurrences of variables are bound).
- (b) substitute: wff -> term -> vname -> wff takes a formula F, a term t, and a variable x as arguments and computes F[t/x].

Put your solution into the mail box at the door of room 627 in the MPI building (46.1) before April 25, 11:00. Don't forget to write your name and the name of your tutorial group (B, C, D) on your solution.